



ThermAir
S Y S T E M S



ThermAir Systems
Stock Catalog

2018



ThermAir Systems

Stock Catalog

Tips and Tricks

- To use the order form function the following setting must be set in Adobe Acrobat: Edit/Preferences/Java Script: Uncheck "Enable global object security policy"
- Click on the item you want to see on the index page and you will be navigated to the proper page.
- ⦿ Click on the Model header in each section to see the Catalog data for that item.
- ⦿ Click the word submittal to view a PDF of that items submittal.
- ⦿ Click the List price of the desired item to add it to the order form
- ⦿ Click on the Map and our location will open in Google Maps so you can print directions



Mesa: (480) 377-9255

Tucson: (520) 623-0656

Fans

Page 1	Direct Drive Roof Exhaust Fans (G/G-VG)	
Page 2-3	Ceiling Exhaust Fans Greenheck (SP)	Delta Breez
Page 4-6	Fan Accessories Roof Curbs Backdraft Dampers Speed Control Switches	Roof Caps Wall Caps

Grilles, Registers, Diffusers

Page 7-9	Diffusers Square Cone Diffuser (SCD3) Square Plaque Diffuser (SPD3) Louvered Face Diffuser (SMD3P) Perforated Adjustable Curved Blade Diffuser (PDC3) Perforated Directional Fixed Diffuser (PDF3)	Louvered Face Diffuser (SMD6) Curved Blade Adjustable Diffuser (SCVD) Round Centrifugal Diffuser (RCDE) Linear Slot Diffuser (SDS)
Page 10-13	Return/Supply Grilles Double Deflection Supply Register (520D) Perforated Return Grille (PDDR) Eggcrate Grille (80)	Filter Grilles (530FF/80FF) Single Deflection Return Grille (530)
Page 14-16	Air Distribution Accessories Square Neck OBD (VCS3) Round Neck OBD (VCR7/VCR8E/VCR9)	Surface Mounting Frames/Return Air Canopy Round Neck Adapters

Smoke Detectors

Page 17	Air Products Smoke Detectors Remote Test Stations Replacement Heads	Accessories
---------	---	-------------

Terminal Units

Page 18	Price Terminal Units (SDV5)
---------	-----------------------------

Lennox Mini Splits / Roof Top Unit Accessories

Page 19	Lennox Mini Splits Accessories	Line Sets
Page 20	Accessories for Lennox RTU Roof Curbs	Thermostat

Water Source Heat Pumps

Page 21	Waterfurnace Water Source Heat Pumps Accessories
---------	---

Reference Guides

Page 22-23	Conversion Charts Competitor Cross Reference - Fans Competitor Cross Reference - AD	SP Conversion Chart (1982-present)
Page 24	Warehouse Locations Mesa	Tucson
Page 25	Order Form	

Greenheck Direct Drive Roof Exhaust Fan

The Greenheck Model G is a direct drive centrifugal roof exhaust fan. The Greenheck Model G-VG is a roof Brushless DC motor. The VariGreen motor blends technology, controllability and energy-efficiency into a low maintenance package that is changing the way the industry designs, specifies, and operates air movement equipment. These fans are specifically designed for roof mounted applications, exhausting relatively clean air. Fan wheels are centrifugal, backward inclined, and constructed of aluminum.




Greenheck Model G Varigreen Fan



Greenheck Model G Fan

Size chart

Model	A	B	C	D	E	F
G080D	10	12.5	21.8	14.6	4	17
G85VG						
G103B	12	14.5	24.4	23.7	4.3	19
G123VG						
G133B	12	14.5	28.4	23.8	4	19
G143VG	16	18.5	28.4	23.8	4	22



Standard Construction Features:

- Aluminum Housing
- Non-overloading backward inclined wheel
- Motor isolated shock mounts
- Integral reinforced bead for strength
- Galvanized birdscreen
- NEMA-1 disconnect, mounted and wired
- Ball Bearing motors (sizes 123-163), Sleeve bearing motors (sizes 065-095)
- Aluminum curb cap with pre-punched mounting holes
- Corrosion resistant fasteners
- NEMA-1 disconnect, mounted and wired
- UL/cUL 705 Electrical

Model	HP	Max RPM	Sones @.25	Max BHP	Static Pressure in Inches of W.G									List Prices				Warehouse		
					0.125	0.25	0.375	0.5	0.625	0.75	1	1.25	1.5	Fan	Starter (BAS1P) Submittal	BDD WD100 Submittal	Roof Curb Submittal	Mes	Tuc	
G080D Submittal	1/20	1550	7.3	0.04	439	379	314	237						\$450.00	\$216.00	\$86.00 (10x10)	\$90.00 (S2017)	*	*	
G85VG Submittal	1/6	1050 1725	4.3 9.3	0.02 0.09	307 602	179 544		419	340					\$744.00				*		
G103B Submittal	1/6	1140	5.7	0.07	883	805	702	507						\$724.00				*	*	
G123VG Submittal	1/2	580 1725	3.3 17	0.02 0.47	515 2038									\$1,172.00			\$88.00 (12x12)	\$102.00 (S2019)	*	
G133B Submittal	1/6	1140	9.6	0.17	1535	1444	1340	1211	1031					\$826.00					*	*
G143VG Submittal	3/4	580 1265	4.7 12.3	0.04 0.35	855 2250						1677	1048		\$1,384.00			\$100.00 (16x16)	\$128.00 (S2022)	*	

Greenheck Ceiling Exhaust Fans

The Greenheck Model SP ceiling exhaust fans are designed for clean air applications where low sound levels are desired. Low sound levels are achieved through quiet running forward curved wheels. Certain models are now Energy Star Rated.




Greenheck Model SP-A Fan




Greenheck Model SP-B Fan

Size chart

Model	A	B	C	D	E	Designer Grille	Unit Weight
Model SP-A							
SPA110	13 1/4	10 5/8	9	8	6	14 7/8 x 13 1/4	15
SPA125							
SPA190							
SPA200	14	11 7/8	11 1/4	8	8	14 7/8 x 13 1/4	20
SPA250							
SPA290							
SPA390							
SPA410	18	14 3/8	14 1/2	8	8	19 3/8 x 16 3/8	35
SPA510							
SPA710	18	14 3/8	14 1/2	10	8	19 3/8 x 16 3/8	37
SPA780							
Model SP-B							
SPB90	13 7/8	11 1/2	7	6	1 1/4	14 7/8 x 13 1/4	10
SPB110							
SPB150							
SPB200							



Greenheck Model SP-A Fan



Greenheck Model SP-B Fan

Standard Construction Features:

- Corrosion resistant galvanized steel scroll and housing
- White Designer non-yellow Grille
- Integrated backdraft damper
- Single inlet forward curved wheel
- Plug type disconnect
- Adjustable mounting brackets
- UL/cUL 507

Model	RPM	Amps	Watts	Sones @ .25	Static Pressure in Inches of W.G						List Prices						Warehouse	
					0	0.1	0.125	0.25	0.375	0.5	Fan	Line Voltage T-Stat (ET5SRS)	Speed Control (5WSSC)	Roof Curb (S2017) <u>Submittal</u>	Roof Cap (JV) <u>CM Sub</u> <u>Flat Sub</u>	Plastic Grille (459208)	Mes	Tuc
Model SP-A																		
<u>SPA110 Submittal</u>	950	0.16	19.2	1.5	136	120	117	96			\$250.00	\$26.00	\$50.00	\$90.00	\$36.00 (JV8CL flat) or \$50.00 (JVC M8 curb mount)	\$30.00	*	*
<u>SPA125 Submittal</u>	1100	0.19	22.5	1.5	152	131	127	109			\$250.00						*	*
<u>SPA190 Submittal</u>	1400	0.45	54.4	3	226	208	204	180	138		\$296.00						*	*
<u>SPA200 Submittal</u>	900	0.47	56.1	2.5	267	246	242	224	199	162	\$296.00						*	*
<u>SPA250 Submittal</u>	1000	0.56	67	3	294	274	271	250	230	201	\$296.00						*	*
<u>SPA290 Submittal</u>	1050	0.72	80.7	3	315	293	287	257	231	207	\$340.00						*	*
<u>SPA390 Submittal</u>	1350	1.34	135	4.5	410	395	391	368	345	325	\$356.00						*	*
<u>SPA410 Submittal</u>	1000	1.74	121	3	443	413	405	351	306		\$382.00				\$40.00 (JV10CL flat) or \$56.00 (JVC M10 curb mount)	--	*	*
<u>SPA510 Submittal</u>	1070	3.30	224	4.5	557	512	501	439	392	325	\$368.00						*	*
<u>SPA710 Submittal</u>	1080	4.40	285	6	752	714	701	653	588	485	\$558.00						*	*
<u>SPA780 Submittal</u>	1600	3.30	348	8.5	812	782	775	741	704	665	\$558.00						*	*
Model SP-B																		
<u>SPB90 Submittal</u>	700	0.18	21.1	1.5	104	92	89	72	57		\$148.00	\$216.00	\$50.00	\$90.00	\$36.00 (JV8CL flat) or \$50.00 (JVC M8 curb mount)	\$30.00	*	*
<u>SPB110 Submittal</u>	950	1.14	80.2	2	133	114	110	97	95	94	\$158.00						*	*
<u>SPB150 Submittal</u>	1050	1.70	128	3	160	156	155	154	152	149	\$176.00						*	*
<u>SPB200 Submittal</u>	1100	2.20	172	4.5	197	195	194	191	187	184	\$196.00						*	*

DeltaBreez Ceiling Exhaust Fans



DeltaBreez Model PRO




DeltaBreez Model SLM

The DeltaBreez Pro and SLM model ceiling exhaust fans are low noise ceiling/wall mount ventilating fans with super low profile, rated for continuous running. ENERGY STAR® qualified. It is HVI, UL, and cUL certified, and can be used to comply with ASHRAE 62.2 (local and whole building intermittent operation).

Size chart

Model	A	B	C	D	Designer Grille
Model					
PRO200	12 1/4	12 1/4	7 3/4	6	15 x 15
PRO300	12 1/4	12 1/4	7 3/4	6	15 x 15
Model SLM					
SLM70	7 1/4	7 1/2	4	3	9 3/8 x 10 3/4
SLM100	11 1/4	10 1/2	4	4 (oval)	14 x 14




Standard Construction Features:

- Galvanized steel housing
- White Designer Grille
- Integral backdraft damper
- LED Indicator
- SLM100 includes 4" oval duct to 3" round duct reducer
- DC Motor with built-in soft start and automatically powers off when impeller is locked abnormally
- 3 year warranty

Model	Amps	Watts	Sones (.25 sp)	SP in Inches of W.G		List Prices				Warehouse	
				0.1	0.25	Fan	Line Voltage T-Stat (ET5SRS)	Roof Curb (\$2017) <u>Submittal</u>	Roof Cap (JV) <u>CM Sub</u> <u>Flat Sub</u>	Mes	Tuc
Model PRO											
PRO200 <u>SUBMITTAL</u>	0.52	21.5	1.3	200	163	\$274.00	\$26.00	\$90.00	\$36.00 (JV8CL flat) or \$50.00 (JVC8CL curb mount)	*	*
PRO300 <u>SUBMITTAL</u>	0.72	43	2.5	300	268	\$292.00					*
Model SLM											
SLM70 <u>SUBMITTAL</u>	0.29	11.6	1.5		54	\$120.00	\$26.00	\$90.00	\$36.00 (JV8CL flat) or \$50.00 (JVC8CL curb mount)	*	*
SLM100 <u>SUBMITTAL</u>	0.3	17.7	1.5	100	87	\$192.00					*

Western Vents and Curbs - Roof Curbs

Model S20 Submittal	Deminsions			List Prices	Warehouse	
	A	B	HT		Mes	Tuc
S2015	13 1/2	13 1/2	12	\$80.00	*	*
S2017	15 1/2	15 1/2	12	\$90.00	*	*
S2019	17 1/2	17 1/2	12	\$102.00	*	*
S2022	20 1/2	20 1/2	12	\$128.00	*	*
S2026	24 1/2	24 1/2	12	\$142.00	*	*
S2030	28 1/2	28 1/2	12	\$158.00	*	*
S2034	32 1/2	32 1/2	12	\$176.00	*	*
S2040	38 1/2	38 1/2	12	\$204.00	*	*




Standard Construction Features:

- 18 Gauge G-90 Fully Welded Steel
- 2x2 Wood Nailers
- All Welded Construction
- 3" Base Flange
- 1" Semi-Rigid Insulation

Greenheck - Backdraft Dampers

Model WD100 Submittal	Deminsions		List Prices	Warehouse	
	W	H		Mes	Tuc
WD1001010	10	10	\$86.00	*	*
WD1001212	12	12	\$88.00	*	*
WD1001616	16	16	\$100.00	*	*



Standard Construction Features:

- Galvanized Steel
- Horizontal Mount

Fan controls

Model	Description	List Prices	Warehouse	
			Mes	Tuc
5WSSC	6 AMP Speed Switch	\$50.00	*	*
BAS1P Submittal	Single Phase Starter	\$216.00	*	
ET5SRS	Line Voltage Thermostat	\$26.00	*	



5WSSC



BAS1P




ET5SRS

Famco - Roof Discharge Accessories

Flat Roof Cap - Curb Mount

Model	Deminsions						List Prices	Warehouse	
	D	F	CL	H	TW	TL		Mes	Tuc
JVCM									
Submittal									
JVCM6	6	17x17	1 3/4	4 7/8	6	9 1/2	\$50.00	*	*
JVCM8	8	17x17	1 3/4	5 5/16	8	12 5/8	\$50.00	*	*
JVCM10	10	17x17	2	6 5/16	10	15 3/4	\$56.00	*	*
JVCM12	12	17x17	2 1/2	7	12	18 7/8	\$66.00	*	*
JVCM14	14	17x17	3	7	17	18 1/2	\$72.00	*	*




Standard Construction Features:

- 26 Gauge Galvanized Steel
- 1/8" screen installed

Flat Roof Cap - Flange Mount

Model	Deminsions						List Prices	Warehouse	
	D	F	CL	H	TW	TL		Mes	Tuc
JV-CL									
Submittal									
JV6CL	6	12x15	6	9 5/8	6	9 1/2	\$30.00	*	*
JV8CL	8	15x15	6	10 1/16	8	12 5/8	\$36.00	*	*
JV10CL	10	16x20	6	10 9/16	10	15 3/4	\$40.00	*	*
JV12CL	12	20x24	6	10 1/2	12	18 7/8	\$48.00	*	*




Standard Construction Features:

- 26 Gauge Galvanized Steel
- 1/8" screen installed

Pitched Roof Cap - Flange Mount

Model	Deminsions						List Prices	Warehouse	
	D	Base	T	H	B	F		Mes	Tuc
BK									
Submittal									
BK4	4	12x12	2 1/2	4 1/4	4 9/16	1 3/4	\$30.00	*	*
BK8	8	18x18	4 1/2	7	3 3/4	2 1/2	\$48.00	*	*




Standard Construction Features:

- Galvanized Steel
- Removable Screen

Famco Wall Discharge Accessories

Hooded Wall Cap, Round Connection




Model SDWV Submittal	Deminsions				List Prices	Warehouse	
	A	B	W	H		Mes	Tuc
SDWV4	6	6 1/2	5	3 1/4	\$22.00	*	*
SDWV6	8	8 1/2	7	4 1/2	\$28.00	*	*
SDWV8	10	10 1/2	9	5 3/4	\$32.00	*	*
SDWV10	13	13 1/2	12	6 3/4	\$54.00	*	*

Standard Construction Features:

- Galvanized Metal
- Screen
- Damper

Hooded Wall Cap, Square Connection




Model WV Submittal	Deminsions				List Prices	Warehouse	
	A	B	C	E		Mes	Tuc
WV310S	3 1/4	10	4 1/2	11 3/8	\$34.00	*	*

Standard Construction Features:

- 1/4" Removable Screen

Price Model SCD3 Square Cone Diffuser with T-bar Mount

Size	List Prices					Warehouse	
	12x12 T-Bar		24x24 T-Bar		Damper Model VCR9 Submittal	Mes	Tuc
	Model SCD3 Submittal	SPF Frame (12x12) Submittal	Model SCD3 Submittal	SPF Frame (24x24) Submittal			
6	\$44.00	\$24.00	\$60.00	\$34.00	\$16.00	*	*
8	\$44.00		\$60.00		\$18.00	*	24x24 only
10	--	--	\$60.00		\$20.00	*	*
12	--	--	\$60.00		\$22.00	*	*
14	--	--	\$60.00		\$30.00	*	*
15	--	--	\$60.00		--	*	*


Standard Construction Features:

- 360° radial horizontal air pattern
- Fixed core with removable plug button
- For surface mount installation use of plaster frame is recommended
- Material: Steel
- Finish: B12 white powder coat

Price Model SPD3 Square Plaque Diffuser with T-bar Mount


Size	List Prices					Warehouse	
	12x12 T-Bar		24x24 T-Bar		Damper Model VCR9 Submittal	Mes	Tuc
	Model SPD3 Submittal	SPF Frame (12x12) Submittal	Model SPD3 Submittal	SPF Frame (24x24) Submittal			
6	\$44.00	\$24.00	\$58.00	\$34.00	\$16.00	*	24x24 only
8	\$44.00		\$58.00		\$18.00	*	24x24 only
10	--	--	\$58.00		\$20.00	*	*
12	--	--	\$58.00		\$22.00	*	*
14	--	--	\$58.00		\$30.00	*	


Standard Construction Features:

- 360° radial horizontal air pattern
- Removable face panel
- For surface mount installation use of plaster frame is recommended
- Material: Steel
- Finish: B12 white powder coat

Price Model SMD3P Louvered Face Diffuser 4-way with T-bar Mount


Size	List Prices				Warehouse	
	Model SMD3P Submittal	SPF Frame (24x24) Submittal	Round Neck Adapter	Damper Model VCS3 Submittal	Mes	Tuc
6 x 6	\$54.00	\$34.00	\$12.00	\$12.00	*	*
9 x 9	\$62.00		\$14.00	\$16.00	*	*
12 x 12	\$76.00		\$16.00	\$18.00	*	*
15 x 15	\$92.00		\$20.00	\$26.00	*	*
18 x 18	\$90.00		\$24.00	\$28.00	*	*


Standard Construction Features:

- Core sized in increments of 3" in both directions
- Directional core removable at diffuser face
- Material: Steel
- Finish: B12 white powder coat

Price Model PDC3 Perforated Adjustable Curved Blade Diffuser with T-bar Mount

Size	List Prices				Warehouse	
	12x12 T-Bar		24x24 T-Bar		Damper Md# Rd Nk - VCR9 Submittal Sq Nk - VCS3 Submittal	Mes Tuc
	Model PDC3 Submittal	SPF Frame (12x12) Submittal	Model PDC3 Submittal	SPF Frame (24x24) Submittal		
6	\$48.00	\$24.00	\$56.00	\$34.00	\$16.00	*
6 x 6	--	--	\$66.00		\$12.00	*
8	--	--	\$56.00		\$18.00	*
8 x 8	--	--	\$66.00		\$16.00	*
10	--	--	\$62.00		\$20.00	*
10 x 10	--	--	\$70.00		\$16.00	*
12	--	--	\$62.00		\$22.00	*
12 x 12	--	--	\$70.00		\$18.00	*
14	--	--	\$68.00		\$30.00	*
14 x 14	--	--	\$76.00		\$22.00	*
16	--	--	\$72.00		--	*
16 x 16	--	--	\$82.00		\$26.00	*
18	--	--	\$80.00		--	*
18 x 18	--	--	\$82.00		\$28.00	*




Standard Construction Features:

- Individual adjustable curved pattern blades
- Hinged, removable perforated face screen with quick-release spring latches
- Curved blades are located at the inlet neck and are field adjustable from horizontal to vertical air pattern
- Maximum backpan height is 2"
- Material: Steel
- Finish: B12 white powder coat

Price Model PDF3 Perforated Directional Fixed Diffuser with T-bar Mount

Size	List Prices			Warehouse	
	Model PDF3 Submittal	SPF Frame (24x24) Submittal	Damper Model VCR9 Submittal	Mesa	Tuc
6	\$44.00	\$34.00	\$16.00	*	
8	\$44.00		\$18.00	*	
10	\$44.00		\$20.00	*	
12	\$44.00		\$22.00	*	
14	\$44.00		\$30.00	*	
16	\$58.00		--	*	




Standard Construction Features:

- Deflectors held in place with 4 screws
- Deflectors are factory supplied in a 4-way pattern setting
- Other pattern settings can be achieved by rotating deflectors
- Maximum backpan height is 2"
- Material: Steel
- Finish: B12 white powder coat

Price Model SMD6 - Louvered Face Diffuser 4-way with Surface Mount

Size	List Prices		Warehouse	
	Model SMD6 Submittal	Damper Model VCS3 Submittal	Mes	Tuc
6 x 6	\$40.00	\$12.00	*	*
9 x 9	\$48.00	\$16.00	*	*
12 x 12	\$68.00	\$18.00	*	*
15 x 15	\$76.00	\$26.00	*	*
18 x 18	\$94.00	\$28.00	*	*



Standard Construction Features:

- Core sized in increments of 3" in both directions
- Directional core removable at diffuser face
- Material: Steel
- Finish: B12 white powder coat

Price Model SCVD Curved Blade Adjustable Diffuser 4-Way includes OBD with Surface Mount

Size	List Prices	Warehouse	
	Model SCVD Submittal	Mes	Tuc
6 x 6	\$48.00	*	*
8 x 8	\$48.00	*	*
10 x 10	\$60.00	*	*
12 x 12	\$68.00	*	*
14 x 14	\$82.00	*	*
16 x 16	\$98.00	*	*


Standard Construction Features:

- Individually adjustable curved vanes on 1" centers
- Face operable opposed blade damper
- Material: Steel
- Finish: B12 white powder coat

Price Model RCDE Round Centrifugal Diffuser Surface Mounting

Size	List Prices		Warehouse	
	Model RCDE Submittal	VCR9 Submittal	Mes	Tuc
6	\$84.00	\$16.00	*	*
8	\$86.00	\$18.00	*	*
10	\$94.00	\$20.00	*	*
12	\$104.00	\$22.00	*	*
14	\$120.00	\$30.00	*	*
16	\$148.00	--	*	*


Standard Construction Features:

- Horizontal pattern, two position adjustment
- Tool free removal of inner cone
- Material: Heavy gauge spun steel
- Finish: B12 white powder coat

Price Model SDS Linear Slot Diffuser


Size	List Prices	Warehouse	
	Model SDS482 Submittal	Mes	Tuc
48"x 2 slot	\$132.00	*	


Standard Construction Features:

- Surface Mount Application
- Directional core removable at diffuser face
- For use with UP/UPL plenums
- Roll formed steel or extruded aluminum pattern controllers, B17 black
- Material: Extruded aluminum frame
- Finish: B12 white powder coat

Price Model 520D double deflection supply register with damper

Size	List Price	Warehouse	
	Model 520D <u>Submittal</u>	Mes	Tuc
6 x 6	\$40.00	*	
8 x 6	\$40.00	*	
8 x 8	\$42.00	*	
10 x 6	\$40.00	*	
10 x 8	\$44.00	*	
10 x 10	\$48.00	*	
12 x 6	\$44.00	*	
12 x 8	\$52.00	*	
12 x 10	\$54.00	*	
12 x 12	\$58.00	*	
14 x 6	\$48.00	*	
14 x 8	\$54.00	*	
14 x 10	\$60.00	*	
14 x 12	\$62.00	*	
16 x 6	\$52.00	*	
16 x 8	\$58.00	*	
16 x 10	\$62.00	*	
16 x 12	\$68.00	*	
18 x 6	\$56.00	*	
18 x 8	\$60.00	*	
18 x 10	\$68.00	*	
18 x 12	\$76.00	*	




Size	List Price	Warehouse	
	Model 520D <u>Submittal</u>	Mes	Tuc
20 x 6	\$58.00	*	
20 x 8	\$66.00	*	
20 x 10	\$72.00	*	
20 x 12	\$80.00	*	
24 x 6	\$64.00	*	
24 x 8	\$76.00	*	
24 x 10	\$84.00	*	
24 x 12	\$94.00	*	
30 x 6	\$86.00	*	
30 x 8	\$102.00	*	
30 x 10	\$110.00	*	
30 x 12	\$126.00	*	
36 x 6	\$100.00	*	
36 x 8	\$112.00	*	
36 x 10	\$128.00	*	
36 x 12	\$142.00	*	

Standard Construction Features:

- Front blades parallel to long dimension
- Individually adjustable roll formed blades on 3/4" centers
- Includes VCS3 opposed blade damper (coated steel)
- Material: Steel
- Finish: B12 white powder coat

Price Model PDDR Perforated Return Grille Round or Square Duct Connection with T-bar mount

Size	List Price		Warehouse	
	Model PDDR3 Submittal	Damper Model VCR9 Submittal	Mes	Tuc
6	\$42.00	\$16.00	*	*
8	\$42.00	\$18.00	*	*
10	\$42.00	\$20.00	*	*
12	\$42.00	\$22.00	*	*
14	\$42.00	\$30.00	*	*
16	\$54.00	--	*	*
18	\$54.00	--	*	*




Size	List Price		Warehouse	
	Model PDDR3 Submittal	Damper Model VCS3 Submittal	Mes	Tuc
22 x 10	\$44.00	--	*	*
22 x 22	\$40.00	\$40.00	*	*
46 x 22	\$100.00	--	*	*

Standard Construction Features:

- Backpan on round neck models
- No backpan on square neck models
- Hinged, removable perforated faceplate with quick-release spring latches
- Maximum backpan height is 2"
- Material: Steel
- Finish: B12 white powder coat

Price Model 80 Aluminum Egg Crate Grille/Register with Surface or T-bar Mount

Size	List Price				Warehouse	
	Surface Mount	T-Bar Mount		Damper Model VCS3 Submittal	Mes	Tuc
	Model 80 Submittal	Model 80TB Submittal	Round neck Adapter			
6 x 6	\$20.00	--	--	\$12.00	*	*
8 x 8	\$22.00	--	--	\$16.00	*	*
10 x 10	\$26.00	--	--	\$16.00	*	*
12 x 12	\$30.00	--	--	\$18.00	*	*
14 x 14	\$38.00	--	--	\$22.00	*	*
16 x 16	\$44.00	--	--	\$26.00	*	*
22 x 10 (24 x 12 for T-bar)	--	\$40.00	\$26.00	--	*	*
22 x 22 (24 x 24 for T-bar)	\$66.00	\$66.00	\$28.00	\$40.00	*	*
24 x 24	\$80.00	--	--	\$50.00	*	*
46 x 22 (48 x 24 for T-bar)	--	\$158.00	--	--	*	*


Standard Construction Features:

- 1/2" x 1/2" x 1/2" aluminum grid core
- Material: Aluminum
- Finish: B12 white powder coat

Price Model 530FF/80FF Filter Grilles with Surface and T-bar Mount


Size	List Price					Warehouse	
	Surface Mount	T-Bar Mount				Mes	Tuc
	Model 530FF Submittal	Model 530FFTB Submittal	Model 530FFTB w/ 2" Filter Submittal	Model 80FFTB Submittal	Round neck Adapter		
12 x 12	\$58.00	--	--	--	--	*	*
20 x 12	\$78.00	--	--	--	--	*	*
20 x 16	\$84.00	--	--	--	--	*	*
20 x 20	\$90.00	--	--	--	--	*	*
24 x 12	--	\$72.00	--	--	--	*	*
24 x 24	\$106.00	\$92.00	\$112.00	\$116.00	\$26.00	*	*
25 x 16	\$108.00	--	--	--	--	*	*
25 x 20	\$112.00	--	--	--	--	*	*
30 x 20	\$122.00	--	--	--	--	*	*
40 x 20	\$146.00	--	--	--	--	*	*
48 x 24	\$206.00	\$162.00	--	--	--	*	*


Standard Construction Features:

- Filter frame accepts 1" filter (2" for 530TB2424S2)
- Filter media supplied by others
- Blades are 3/4" spacing
- Blades are parallel to long dimension
- For sidewall installation, hinge tabs must be at top
- Quarter turn fastener location
- Mounting holes in filter frame by installer
- Material: Steel
- Finish: B12 white powder coat

Price Model 530 Steel, 45° Single Deflection Return Grille

Size	List Price		Warehouse	
	Surface Mount		Mes	Tuc
	Model 530 Submittal	Damper Model VCS3 Submittal		
6 x 6	\$22.00	\$12.00	*	*
8 x 6	\$22.00	\$16.00	*	*
8 x 8	\$22.00	\$16.00	*	*
10 x 6	\$22.00	\$16.00	*	*
10 x 8	\$26.00	\$16.00	*	*
10 x 10	\$28.00	\$16.00	*	*
12 x 6	\$26.00	\$16.00	*	*
12 x 8	\$26.00	\$18.00	*	*
12 x 10	\$28.00	\$18.00	*	*
12 x 12	\$30.00	\$18.00	*	*
14 x 6	\$26.00	\$18.00	*	*
14 x 8	\$28.00	\$18.00	*	*
14 x 10	\$30.00	\$20.00	*	*
14 x 12	\$34.00	\$20.00	*	*
14 x 14	\$34.00	\$22.00	*	*
16 x 6	\$30.00	\$18.00	*	*
16 x 8	\$30.00	\$20.00	*	*
16 x 10	\$34.00	\$20.00	*	*
16 x 12	\$34.00	\$22.00	*	*
16 x 14	\$34.00	\$22.00	*	*
16 x 16	\$38.00	\$26.00	*	*
18 x 6	\$30.00	\$20.00	*	*
18 x 8	\$34.00	\$20.00	*	*
18 x 10	\$34.00	\$22.00	*	*
18 x 12	\$36.00	\$22.00	*	*
18 x 14	\$38.00	\$26.00	*	*
18 x 16	\$42.00	\$26.00	*	*
18 x 18	\$44.00	\$28.00	*	*
20 x 6	\$32.00	\$22.00	*	*
20 x 8	\$34.00	\$22.00	*	*
20 x 10	\$34.00	\$22.00	*	*
20 x 12	\$38.00	\$22.00	*	*
20 x 14	\$40.00	\$26.00	*	*
20 x 16	\$44.00	\$28.00	*	*
20 x 18	\$48.00	\$30.00	*	*
20 x 20	\$48.00	\$34.00	*	*



Size	List Price		Warehouse	
	Surface Mount		Mes	Tuc
	Model 530 Submittal	Damper Model VCS3 Submittal		
22 x 10	\$36.00	--	*	*
22 x 22	\$54.00	\$40.00	*	*
24 x 6	\$34.00	\$22.00	*	*
24 x 8	\$36.00	\$22.00	*	*
24 x 10	\$38.00	\$26.00	*	*
24 x 12	\$40.00	\$26.00	*	*
24 x 14	\$44.00	\$28.00	*	*
24 x 16	\$48.00	\$30.00	*	*
24 x 18	\$52.00	\$34.00	*	*
24 x 20	\$54.00	\$40.00	*	*
24 x 24	\$58.00	\$50.00	*	*
30 x 6	\$42.00	--	*	*
30 x 8	\$44.00	--	*	*
30 x 10	\$48.00	--	*	*
30 x 12	\$52.00	--	*	*
30 x 14	\$54.00	--	*	*
30 x 16	\$58.00	--	*	*
30 x 18	\$62.00	--	*	*
30 x 20	\$70.00	--	*	*
30 x 24	\$76.00	--	*	*
30 x 30	\$86.00	--	*	*

Size	List Price		Warehouse	
	Surface Mount		Mes	Tuc
	Model 530 Submittal	Damper Model VCS3 Submittal		
36 x 6	\$44.00	--	*	*
36 x 8	\$48.00	--	*	*
36 x 10	\$54.00	--	*	*
36 x 12	\$56.00	--	*	*
36 x 14	\$62.00	--	*	*
36 x 16	\$70.00	--	*	*
36 x 18	\$76.00	--	*	*
36 x 20	\$76.00	--	*	*
36 x 24	\$84.00	--	*	*
40 x 20	\$86.00	--	*	*
48 x 24	\$140.00	--	*	*

Size	List Price			Warehouse	
	T-Bar Mount			Mes	Tuc
	Model 530TB Submittal	Round Neck Adapter	Damper Model VCS3 Submittal		
22 x 10	\$36.00	\$26.00	\$22.00	*	*
22 x 22	\$54.00	\$28.00	\$40.00	*	*
46 x 22	\$116.00	--	--	*	*

Standard Construction Features:

- Blades parallel to long dimension
- 45° deflection roll formed blades on 3/4" centers
- Material: Steel
- Finish: B12 white powder coat

Price Model VCS3 Opposed Blade Dampers (Square Neck)

Size	List Price	Warehouse	
	Model VCS3 Submittal	Mes	Tuc
6 x 4	\$12.00	*	
6 x 6	\$12.00	*	*
8 x 4	\$12.00	*	
8 x 6	\$16.00	*	
8 x 8	\$16.00	*	*
9 x 9	\$16.00	*	*
10 x 4	\$16.00	*	
10 x 6	\$16.00	*	
10 x 8	\$16.00	*	
10 x 10	\$16.00	*	*
12 x 4	\$16.00	*	
12 x 6	\$16.00	*	
12 x 8	\$18.00	*	
12 x 10	\$18.00	*	
12 x 12	\$18.00	*	*
14 x 4	\$16.00	*	
14 x 6	\$18.00	*	
14 x 8	\$18.00	*	
14 x 10	\$20.00	*	
14 x 12	\$20.00	*	
14 x 14	\$22.00	*	*
15 x 15	\$26.00	*	
16 x 4	\$18.00	*	
16 x 6	\$18.00	*	
16 x 8	\$20.00	*	
16 x 10	\$20.00	*	
16 x 12	\$22.00	*	
16 x 14	\$22.00	*	
16 x 16	\$26.00	*	*



Size	List Price	Warehouse	
	Model VCS3 Submittal	Mes	Tuc
18 x 4	\$18.00	*	
18 x 6	\$20.00	*	
18 x 8	\$20.00	*	
18 x 10	\$22.00	*	
18 x 12	\$22.00	*	
18 x 14	\$26.00	*	
18 x 16	\$26.00	*	
18 x 18	\$28.00	*	
20 x 4	\$18.00	*	
20 x 6	\$22.00	*	
20 x 8	\$22.00	*	
20 x 10	\$22.00	*	
20 x 12	\$22.00	*	
20 x 14	\$26.00	*	
20 x 16	\$28.00	*	
20 x 18	\$30.00	*	
20 x 20	\$34.00	*	

Size	List Price	Warehouse	
	Model VCS3 Submittal	Mes	Tuc
22 X 22	\$40.00	*	*
24 x 4	\$22.00	*	
24 x 6	\$22.00	*	
24 x 8	\$22.00	*	
24 x 10	\$26.00	*	
24 x 12	\$26.00	*	
24 x 14	\$28.00	*	
24 x 16	\$30.00	*	
24 x 18	\$34.00	*	
24 x 20	\$40.00	*	
24 x 24	\$50.00	*	*

Standard Construction Features:

- Used as a grille and diffuser accessory for mounting behind the outlet
- Screwdriver slot operator
- Material: Coated steel
- Finish: Mill


Price Model VCR7/VCR8E/VCR9 Opposed Blade Dampers (Round Neck)

Size	List Price	Warehouse	
	Model VCR7 Submittal	Mes	Tuc
6	\$36.00	*	
8	\$36.00	*	
10	\$40.00	*	
12	\$42.00	*	
14	\$52.00	*	
16	\$58.00	*	


Standard Construction Features:

- For duct mounted installation
- Three segment blade configuration
- Can be mounted directly into most diffuser necks before installation
- Easily adjusted with slotted operator
- Material: Coated steel

Size	List Price	Warehouse	
	Model VCR8E Submittal	Mes	Tuc
6	\$16.00		*
8	\$16.00		*
10	\$16.00		*
12	\$18.00		*
14	\$26.00		*


Standard Construction Features:

- Damper controls air volumes from fully open to fully closed
- Use standard flat blade screwdriver to operate damper
- Cannot be mounted to diffuser neck on RCD, RCDA or RCDE models
- Damper mounts directly onto diffuser neck inlet
- Material: Coated steel
- Finish: Mill


Size	List Price	Warehouse	
	Model VCR9 Submittal	Mes	Tuc
6	\$16.00	*	*
8	\$18.00	*	*
10	\$20.00	*	*
12	\$22.00	*	*
14	\$30.00	*	*


Standard Construction Features:

- Damper controls air volumes from fully open to fully closed
- Damper mounts directly onto diffuser neck inlet
- Nominal inlet sizes are 6 - 14
- Cannot be mounted to a diffuser neck on RCD, RCDA or RCDE models
- In high vibration applications, it is recommended that sheet metal screws are used on the retaining tabs
- Finish: Mill

Price Model SPF Surface Mounting Frame

Size	List Price	Warehouse	
	Model SPF Submittal	Mes	Tuc
12 x 12	\$24.00	*	*
24 x 12	\$28.00	*	*
24 x 24	\$34.00	*	*



Standard Construction Features:

- Heavy gauge steel
- B12 white powder coat finish

Price Model RAC Return Air Canopy

Size	List Price	Warehouse	
	Model RAC Submittal	Mes	Tuc
12 x 24	\$80.00	*	
24 x 24	\$100.00	*	



Standard Construction Features:


- Economical Light weight design
- Fits Standard Grille Sizes
- Easy Install
- Fiberglass Media
- Compact alternative to lined boots
- Laboratory tested for dynamic insertion loss and pressure drop

Round Neck Adapters (RNA)

Square Size	List Price										Warehouse	
	Round Transition Size										Mes	Tuc
	4	5	6	8	10	12	14	16	18	20		
6 x 6	\$16.00	\$16.00	\$16.00	--	--	--	--	--	--	--	*	
8 x 8	--	--	\$18.00	\$18.00	--	--	--	--	--	--	*	
9 x 9	--	--	\$18.00	\$18.00	--	--	--	--	--	--	*	
10 x 10	--	--	\$20.00	\$20.00	\$20.00	--	--	--	--	--	*	
12 x 12	--	--	\$20.00	\$20.00	\$20.00	\$20.00	--	--	--	--	*	
14 x 14	--	--	--	\$22.00	\$22.00	\$22.00	\$22.00	--	--	--	*	
15 x 15	--	--	--	--	\$24.00	\$24.00	\$24.00	--	--	--	*	
16 x 16	--	--	--	--	\$26.00	\$26.00	\$26.00	\$26.00	--	--	*	
18 x 18	--	--	\$28.00	\$28.00	\$28.00	\$28.00	\$28.00	\$28.00	\$28.00	--	*	
20 x 20	--	--	\$30.00	\$30.00	\$30.00	\$30.00	\$30.00	\$30.00	\$30.00	\$30.00	*	
22 x 10	--	--	\$30.00	\$30.00	\$30.00	\$30.00	--	--	--	--	*	
22 x 22	--	--	\$32.00	\$32.00	\$32.00	\$32.00	\$32.00	\$32.00	\$32.00	\$32.00	*	

Standard Construction Features:

- 4" Depth
- 26 Gauge Galvanized Steel
- Mill Finish (Black Finish for 22x10 and 22x22 sizes)



Air Products and Controls Smoke Detectors



Model	List Price	Warehouse	
		Mes	Tuc
SL2000P Submittal	\$200.00	*	
HS100 Submittal	\$190.00	*	
RT3000P Submittal	\$308.00	*	

SL2000P Standard Construction Features:

- Low-Flow Technology
- Listed for High-Temperature Applications
- Operation voltages: 230VAC, 115VAC, 24VAC, 24VDC
- Interconnect up to 30 units for common functions

Air Products and Controls Smoke Detector Accessories

Air Products and Controls Remote Test Stations



MSRAPR

[Submittal](#)

 Remote Test Station
(2 Light)

\$50.00

Stocked: Mesa Warehouse



MSRAR

[Submittal](#)

Remote Test Station

\$42.00

Stocked: Mesa Warehouse



MSRHKAPAT

[Submittal](#)

 Remote Test Station
Visual/Horn Alarm

\$116.00

Stocked: Mesa Warehouse




Replacement Heads


Model	Description	List Price	Warehouse	
			Mes	Tuc
55000-225APO	Ionized Head Replacement	\$118.00	*	
55000-328APO	Photoelectric Head Replacement	\$124.00	*	

Miscellaneous Accessories

Model	Description	List Price	Warehouse	
			Mes	Tuc
FASTUBE	24" Sampling Tube	\$10.00	*	

Price Model SDV Single Duct Terminal Units


Size	Performance Data		Sizing				List Price	Warehouse	
			Outlet		Inlet	Length			
	Max L/S	Max CFM	B	C	A	L	Model SDV5 Submittal	Mes	Tuc
6	212	450	12	8	6	22.125	\$172.00	*	*
8	378	800	12	10	8	20.125	\$202.00	*	*
10	637	1350	14	12.5	10	20.125	\$216.00	*	*
12	991	2100	16	15	12	20.125	\$222.00	*	*
14	1416	3000	20	17.5	14	23.625	\$284.00	*	*
16	1888	4000	24	18	16	23.625	\$300.00	*	*


Standard Construction Features:

- Controls are supplied by controls contractor and field supplied
- Controls enclosure will be supplied as illustrated
- PS - NEMA 1 controls enclosure listed to UL50
- Multi-point primary airflow sensor supplied by Price
- 22 Gauge zinc coated steel housing. Mechanically sealed and gasketed, leak resistant
- Rectangular discharge opening with slip and drive cleat duct connection
- Liner FG50: Internal insulation, Fiberglass 1/2" thick, min 1.5# density, meets requirements of NFPA90A and UL181. R-value=1.9

Lennox Mini-splits - Single Zone

Model		Voltage	Cooling Capacity	Heating Capacity	EER	SEER	HSPF	AHRI Reference	System List Price	Warehouse	
Indoor Unit	Outdoor Unit									Mes	Tuc
Wall-Mounted											
MWMA009S4-1L	MPA009S4S-1L	115 V	9000	10000	14.5	23.50	10.00	8129512	\$1,856.00		
System Submittal											
MWMA012S4-1L	MPA012S4S-1L	115 V	12000	12000	13	21.50	10.00	8129519	\$1,920.00		
System Submittal											
MWMA009S4-1P	MPA009S4S-1P	208-230 V	9000	10000	14.5	23.50	10.00	8129529	\$1,856.00	*	
System Submittal											
MWMA012S4-1P	MPA012S4S-1P	208-230 V	12000	12000	13	21.50	10.00	8129532	\$2,074.00	*	
System Submittal											
MWMA018S4-1P	MPA018S4S-1P	208-230 V	17500	18000	12.5	19.50	9.60	8129536	\$3,142.00	*	
System Submittal											
MWMA024S4-1P	MPA024S4S-1P	208-230 V	23000	25000	12.5	20.00	10.00	8129542	\$3,406.00	*	
System Submittal											
MWMA030S4-1P	MPA030S4S-1P	208-230 V	30000	32000	9.5	16.50	9.60	8129550	\$4,136.00	*	
System Submittal											
Ceiling Cassette											
M22A009S4-1P	MPA009S4S-1P	208-230 V	9000	10000	13	19.00	10.00	8129557	\$2,500.00		
System Submittal											
M22A012S4-1P	MPA012S4S-1P	208-230 V	12000	12000	13	20.50	10.00	8129566	\$2,786.00	*	
System Submittal											
M22A018S4-1P	MPA018S4S-1P	208-230 V	16000	18000	12.5	19.00	9.00	8129570	\$3,946.00	*	
System Submittal											
M33A024S4-1P	MPA024S4S-1P	208-230 V	23000	25000	10.3	17.50	10.00	8232194	\$4,666.00		
System Submittal											
M33A036S4-1P	MPA036S4S-1P	208-230 V	36000	38000	8	15.00	10.50	8232195	\$6,538.00		
System Submittal											
M33A048S4-1P	MPA048S4S-1P	208-230 V	44500	49000	8	15.00	10.00	8232196	\$7,966.00		
System Submittal											
Medium Static Ducted											
MMDA009S4-1P	MPA009S4S-1P	208-230 V	9000	10000	13.5	19.00	9.60	8129583	\$2,200.00		
System Submittal											
MMDA012S4-1P	MPA012S4S-1P	208-230 V	11000	11600	12.5	18.00	10.00	8129582	\$2,534.00		
System Submittal											
MMDA018S4-1P	MPA018S4S-1P	208-230 V	16000	18000	12.5	18.50	9.60	8129584	\$3,584.00		
System Submittal											
MMDA024S4-1P	MPA024S4S-1P	208-230 V	23000	24400	12.5	19.00	10.50	8129593	\$4,092.00		
System Submittal											
MMDA036S4-1P	MPA036S4S-1P	208-230 V	36000	38000	8.5	15.50	10.50	8129594	\$6,378.00		
System Submittal											
MMDA048S4-1P	MPA048S4S-1P	208-230 V	48000	50000	8.2	16.50	10.00	8129606	\$8,016.00		
System Submittal											
Ceiling/Floor											
MCFA012S4-1P	MPA012S4S-1P	208-230 V	12000	12000	14	22.00	10.50	8232197	\$2,518.00		
System Submittal											
MCFA018S4-1P	MPA018S4S-1P	208-230 V	17000	18000	12.5	17.50	9.00	8232198	\$3,674.00		
System Submittal											
MCFA024S4-1P	MPA024S4S-1P	208-230 V	23000	25000	10	18.50	10.50	8232199	\$4,388.00		
System Submittal											
MCFA036S4-1P	MPA036S4S-1P	208-230 V	36000	38000	8	15.00	10.00	8232200	\$6,524.00		
System Submittal											
MCFA048S4-1P	MPA048S4S-1P	208-230 V	46500	50000	8	15.50	10.00	8232201	\$8,032.00		
System Submittal											

Lennox Mini-splits - Multi Zone

Model	Voltage	Cooling Capacity	Heating Capacity	EER	SEER	HSPF	AHRI Reference	System List Price	Warehouse	
									Mes	Tuc
MPA018S4M-1P	208-230 V	18000	18500	12.50	21.00	9.60	8129607	Contact TAS for System Price		
System Submittal										
MPA030S4M-1P		25000	32000	12.50	22.00	9.60	8129613		*	
System Submittal										
MPA036S4M-1P	208-230 V	36000	36000	8.80	18.00	10.00	8129614		*	
System Submittal										
MPA048S4M-1P	208-230 V	42000	49000	12.50	20.00	10.00	8129616			
System Submittal										


Mini-Split Accessories

Model	Description	List Price	Warehouse	
			Mes	Tuc
ASPMAXOUNI	115-250v Condensate pump	\$272.00	*	
System Submittal				
M0STAT61Q	Non-Programmable wired controller- KJR-12B	\$278.00	*	
System Submittal				
M0STAT64Q-1	Programmable controller	\$300.00	*	
System Submittal				
40620200M184L	20' Lineset for 9K unit (Flared, 18-4 wire, 1/2" insulation, 1/4 & 3/8)	\$170.00	*	
40820200M184L	20' Lineset for 12-18K unit (Flared, 18-4 wire, 1/2" insulation, 1/4 & 1/2)	\$176.00	*	
61020200M184L	20' Lineset for 24-48K unit (Flared, 18-4 wire, 1/2" insulation, 3/8 & 5/8)	\$200.00	*	
40820400M184L	40' Lineset for 12-18K unit (Flared, 18-4 wire, 1/2" insulation, 1/4 & 1/2)	\$284.00	*	
61020400M184L	40' Lineset for 24-48K unit (Flared, 18-4 wire, 1/2" insulation, 3/8 & 5/8)	\$330.00	*	

Accessories for Lennox Roof Top Units

Western Vents and Curbs - RTU Roof Curbs

Model	Deminsions			List Prices	Warehouse	
	A	B	C		Mes	Tuc
BOXAADJ14 Submittal	79 3/4	41 1/2	22	\$590.00	*	
BOXBADJ14 Submittal	95 3/8	54 1/4	22	\$690.00	*	
BOXCADJ14 Submittal	102	86 1/8	22	\$800.00	*	
BOXAADJ14-HE Submittal	79 3/4	41 1/2	22	\$640.00	*	



Standard Construction Features:

- 18 GA G90 Adjustable Roof Curb
- 1x4 Nailer
- Gasket
- Duct Rails

ICM Controls - Programmable Thermostat for Roof Top Units

Model	Description	List Prices	Warehouse	
			Mes	Tuc
I2020 Submittal	Programmable Thermostat	\$200.00	*	




Standard Construction Features:

- 7 Day Programmable Thermostat with 2H & 2C Stages

Water Furnace Water Source Heat Pumps

The Versatec Base is engineered to offer high efficiency operation while maintaining a small cabinet footprint and an impressive list of value-added features. The Versatec Base is an ideal solution for both retrofit and new construction applications. Compact design and ability to perform optimally in both water loop and geothermal. The Versatec Base model exceeds ASHRAE 90.1 efficiencies while utilizing environmentally friendly R410A refrigerant.



Model	Performance Data			Sizing			List Price	Warehouse	
	Capacity (ton)	V/PH	Efficiency (EER)	A	B	C	Model UBH Submittal	Mes	Tuc
UBH024SR2651N	2	265/1	13.6	22.5	42	17.2	\$4,116.00	*	
UBH036SR4603N	3	460/3	14.5	22.5	42	19.2	\$5,060.00	*	
UBH042SR4603N	3.5	460/3	14.2	22.5	45	19.2	\$5,082.00	*	

Key Features

- **COMPRESSOR:** Reciprocating single speed, in commercial voltages. Compressor blanket option available for improved noise reduction.
- **BLOWER INLET RINGS:** Allow for easy motor and blower removal without disconnecting from the unit duct work.
- **FILTER:** 1" MERV 4 disposable filter with filter rail.
- **CABINET:** Small footprint ideal for retrofit applications. Heavy gauge, environmentally responsible galvanized steel for maximum corrosion resistance. Standard foil-faced cabinet insulation for improved air quality and easy cleaning.
- **ALUMINUM AIR COIL:** An aluminum air coil is featured in all Versatec Base units to provide exceptional durability and high efficiencies. Added protection is also available with an optional AlumiSeal™ coating.
- **BLOWER MOTOR:** X 13 variable speed ecm blower motors provided for improved efficiency and comfort
- **CONTROLS:** Aurora microprocessor control.
- **DRAIN PAN:** Stainless steel drain pan.

Water Source Heat Pump Accessories

Model	Description	Nominal GPM	List Price	Warehouse	
			Model HK Submittal	Mes	Tuc
HK-MAN	Manual hose kit	manual	\$325.00	*	
HK2	2 ton hose kit	6	\$385.00	*	
HK3	3 ton hose kit	9	\$385.00	*	
HK3.5	3.5 ton hose kit	10.5	\$440.00	*	

Water Source Heat Pump Replacement Parts

Model	Description	List Price	Warehouse	
12P504A01	Condensate Overflow Switch	\$70.00	*	
17X553-07	Control Board	\$420.00	*	

Fan competitor cross reference

Greenheck	Penn	Cook	Broan
	Z1	GC-120	588
		GC-220	671
SP-A/B90	Z6S		684
SP-A/B110		GC-140	676
SP-A125	Z5H		
SP-A190		GC-320	
SP-A/B200	Z8S	GC-340	L200
SP-A250	Z81S	GC-180	L250
SP-A290			L300
SP-A390	Z8H		
SP-A410	Z10S	GC-620	L400
SP-A510			L500
SP-A710	Z102S		L700
SP-A780	Z12S	GC-740	
SP-A900		GC-822	L900

GRD competitor cross reference

Price	Krueger	Titus	Metalair
520D	880 Series	300R	V4004S
530 Series	S80	350R	SRH
530FF	S80FF	350RF	SRHF
80 Series	EGC5	50 Series	CC5
APF	5HCF23	TRM	PF/TBPF
PDC3	1100/6200/650	PCS	7600/7650
PDF3	6604 Series	PAS	7500/7550
PDDR3	1190/6290/659	PAR/PMR	7500R/7600R
RCDE	RM1/5RM1	TMR	N/A
SCD3	1400 Series	TMS	1300/1400
SCVD	180 Series	250 Series	N/A
SDV	LMHS	DESV	SC/V1/VA1
SMD3/6	SH	TDC	5500S/5000S
SPD3	PLQ	OMNI	5750/5850
SPF	HCF23	N/A	N/A
TBDI	PTBS	TBDI	N/A
VCR7	PR10	AG75	RSD
VCR8E	RP12	AG85	BDS/900D
VCR9			
VCS3	OBD	AG35/AG95	N/A

Greenheck SP Fan - Old to New Model Cross Reference

June 2002 - present	Feb. 1996 - June 2002	Apr. 1989 - Jan. 1996	1982 - Mar. 1989
A50			
A70			
A90			
B50			
B70			
B80			
C50	5	5	
Not replaced	6	6	
B90	6.5		
B110	7		
B150	9		
B200	12		
A110	210	108, 115	8, 15
A125	216		
A190	218	117	17
A200			
A250	224	125	25
A290	226		
A390	228	127	27
A410	250	150	50
A510	252	152	
A700			
A710	255	155	55
A780	258	158	
A900	260	160	60
A1050	262		
A1410	264		
A1550	265	165	

For replacement parts contact

Phoenix and Tucson:
 Mike Knepler
mikek@thermairsystems.com
 (480) 222-4716




Mesa: (480) 377-9255

Tucson: (520) 623-0656

Mesa Office

245 S Dobson Rd
Mesa, AZ 85202

Will Call Contact: Charles Cooper
countersales@thermairsystems.com
(480) 222-4721



Tucson Office

1802 W Grant, Ste 106
Tucson, AZ 85745

Will Call Contact: Randy Paschall
randyp@thermairsystems.com
(520) 623-0656



Order Request Form

Customer Name:

Order Contact:**Phone Number:**

PO #:

Job Name:**Date Required:****Shipping Contact:**

Shipping Contact Phone #:

Shipping Address:[illegible]

- All pricing is subject to change with out prior notification
- All Returns are subject to a 25% restock fee